

## Description: Corner Sofa

## Important safety instructions:


- Please carefully read all instructions before assembling the Sofa.
- For your safety and ease, assembly by two or more adults is recommended.
- Keep instructions for future use.
- Do not discard any contents until after assembly is complete to avoid accidentally discarding small parts or hardware.
- Remove all parts and hardware from box along with any plastic protective packaging.

## Parts List

Item	Description	QTY
A	Long Back Panel	1
B	Short Back Panel	1
C	Seat	1
D	Long Back pillow	1
E	Short Back pillow	1
F	Legs	4

## Hardware List


	Description	QTY
a	Bolt 5/16"x2-3/4"	12
b	Lock Washer 5/16"	12
c	Flat Washer 5/16"	12
d	Short Bolt 1/4"x3/4"	1
e	Mending Plate 2-3/4"x3/4"	1
f	Big Allen Wrench 5/16"	1
g	Small Allen Wrench 1/4"	1
h	Screws	1




## Assembly Procedures:

## Step 1.


- 1) Lay the long back panel (A) on a flat, soft surface such as a carpet or cloth to prevent scratching the finish. Attach the seat (C) on the long back panel (A) aligning the hole on the back of seat (C) with the hole on the back panel (A) and using bolt (a), lock washer (b) and flat washer (c). Loosely tighten all bolts by Allen wrench (f).
- 2) Lock the short back panel (B) to the long back panel (A), then attach the seat (C) to the short back panel (B) using bolt (a), lock washer (b) and flat washer (c).
- 3) Securely tighten all bolts by Allen wrench(f).



Step 2. Attach each leg (F) to the bottom of seat (C).




Step 3. Put the long /short back pillow (D & E) on the seat (C).



**Step 4. Set up a unit**

1) Place the assembled lounge and assembled corner sofa at your desired position. Lock the locks on the bottom of corner sofa and the bottom of lounge.


Step 4



**2) Option unit**


Option 1: Turn the assembled lounge and corner sofas to a upright position, then lock the locks on bottom of lounge and corner sofas. Connect the back panels of corner sofa to the back panel of lounge through the mending panel (**Packed in Lounge**) using short bolt (d) and screw (h). Securely tighten all bolts by Allen wrench(g), but do not over tighten the bolts.

Mending Panel Packed in Lounge



Thank you for your purchase

Option 2: Turn the assembled lounges and corner sofas to a upright position, then lock the locks on bottom of lounges and corner sofas. Connect the back panel of corner sofa to the back panel of lounge through the mending plate with one bolt hole and one screw hole (**Packed with Corner sofa**) using short bolt (d) and the screw (h), connect the back panels of two lounges using short bolt (e) through the mending plate with two bolt holes (**Packed with Lounge**). Securely tighten all bolts by Allen wrench (g).



**ADDITIONAL NOTE ABOUT SAFETY: BOLTS MAY LOOSEN DURING NORMAL EVERYDAY USE. THEY SHOULD BE PERIODICALLY INSPECTED AND RE-TIGHTENED TO PREVENT DAMAGE OR INJURY. ALWAYS CHECK TO BE SURE THAT ALL HARDWARE IS KEPT TIGHTENED.**

Thank you for your purchase