

## ASSEMBLY INSTRUCTIONS

## Description: Bar Cart

## Important safety instructions:


- Please carefully read all instructions before assembling the cart.
- For your safety and ease, assembly by two or more adults is recommended.
- Keep instructions for future use.
- Do not discard any contents until after assembly is complete to avoid accidentally discarding small parts or hardware.
- Remove all parts and hardware from box along with any plastic protective packaging.

## Parts List

Item	Description	QTY	Item	Description	QTY
A	Wheel	4	F	Top Tray	1
B	Back Frame	1	G	Big Handle	2
C	Front Frame	1	H	Metal gallery	4
D	Shelves	2	I	Handle	2
E	Side Panel	2	J	Glass Rack	1


## Hardware List

Item	Description	QTY
a	Nut 5/16"	4
b	Big Bolt 5/16"x1-3/8"	4
c	Medium Long Bolt 1/4"x1"	20
d	Medium Short Bolt 1/4"x5/8"	28
e	Big Lock Washer 5/16"	4
f	Big Flat Washer 5/16"	4
g	Small Lock Washer 1/4"	28
h	Small Flat Washer 1/4"	28
i	Big Allen Wrench 5/16"	1
j	Small Allen Wrench 1/4"	1
k	Open Wrench 5/16"	1
l	Small Bolt 5/32"x1"	4




## Assembly Procedures:


Step 1. Assemble the cart on a flat, soft surface such as a carpet or cloth to prevent scratching the finish. Attach the wheel (A) to the front frame (C) and back frame (B) by using the nuts (a), big bolts (b), big block washers (e) big flat washers (f), big Allen wrench (i) and open wrench (k) as shown.




Step 2. Loosely attach the side panel (E) to the back frame (B) by using medium short bolts (d), small flat washers (H), small lock washers (g) and small Allen wrench (j).




Step 3. Attach each shelf (D) to the back frame (B) by using medium short bolts (d), small flat washers (H), small lock washers (g) and small Allen wrench (j).




Step 4. Open the doors, then attach front frame (C) to the shelves (D) using medium short bolts (d), small flat washers (H), small lock washers (g) and small Allen wrench (j).




Step 5. Attach the handles (I) to the doors on the front frame (C) using small bolt (I) as shown.




Step 6. Attach the big handle(G) to the top tray (F) by using medium long bolt (c) and small Allen wrench(j).




Step 7. Assemble the glass rack(J) to the bottom of top tray(F) by using medium short bolt(d), small lock washer(g) and small flat washer(h) as shown.



Step 8: Assemble the top tray (F) to the assembled base using medium short bolts (d), small flat washers (H), small lock washers (g) and small Allen wrench (j).



Step 9: Attach metal gallery (H) to the assembled base using bolt(c) and wrench(j).



Step 10: Securely tighten all bolts by Allen wrench(g), but do not over tighten the bolts. Assembly is complete. Failure to follow these instructions may cause the bolts to misalign during assembly.

**ADDITIONAL NOTE ABOUT SAFETY: BOLTS MAY LOOSEN DURING NORMAL EVERYDAY USE. THEY SHOULD BE PERIODICALLY INSPECTED AND RE-TIGHTENED TO PREVENT DAMAGE OR INJURY. ALWAYS CHECK TO BE SURE THAT ALL HARDWARE IS KEPT TIGHTENED.**

Thank you for your purchase