

ASSEMBLY INSTRUCTIONS

Description: Side Table

Important safety instructions:

- Please carefully read all instructions before assembling the table.
- For your safety and ease, assembly by two or more adults is recommended.
- Keep instructions for future use.

Pre-assembly:


- Do not discard any contents until after assembly is complete to avoid accidentally discarding small parts or hardware.
- Remove all parts and hardware from box along with any plastic protective packaging.

Parts List

Item	Description	QTY
A	Left Side Frame	1
B	Right Side Frame	1
C	Shelf Frame	1
D	Top Panel	1
E	Back Stretcher	1
F	Front Stretcher	1
G	Self Glass	1

Hardware List

Item	Description	QTY
a	Bolts Ø1/4"**1-1/2"	8
b	Lock Washers Ø1/4"	12
c	Flat Washers Ø1/4"**12mm	8
d	Allen Wrench 1/4"	1
e	Threaded Rod Ø1/4"	4
f	Nuts Ø1/4"	4
g	Half-round Washer 1/4"	4
h	Open Wrench 1/4"	1
i	Wooden Plugs	8
j	Clear Plastic Pad	4




Assembly Procedures:

Step 1. Assemble the table on a flat, soft surface such as a carpet or cloth to prevent scratching the finish.

1) Screw the Threaded Rod (e) into the left side frame (A) following the label "L" on the left side frame .

2) Attach the shelf frame (C), top panel (D), back stretcher (E) and front stretcher (F) to the left side frame (A) as shown below. Loosely tighten all bolts big Allen wrench (d) and open wrench (h).

(a)x4	Bolts Ø1/4"**1-1/2"		(e)x1	Threaded Rod Ø1/4"	
(b)x6	Lock Washers Ø1/4"		(f)x2	Nuts Ø1/4"	
(c)x4	Flat Washers Ø1/4"**12mm		(g)x2	Half-round Washer 1/4"	
(d)x1	Allen Wrench 1/4"		(h)x1	Open Wrench 1/4"	




Step 2.

1) Screw the Threaded Rod (e) into the right side frame (B) following the label "R" on the left side frame .

2) Attach the right side frame (B) to shelf frame (C), top panel (D), back stretcher (E) and front stretcher (F) as shown below. Loosely tighten all bolts with Allen wrench (d) and open wrench (h).


(a)x4	Bolts Ø1/4"**1-1/2"		(e)x1	Threaded Rod Ø1/4"	
(b)x6	Lock Washers Ø1/4"		(f)x2	Nuts Ø1/4"	
(c)x4	Flat Washers Ø1/4"**12mm		(g)x2	Half-round Washer 1/4"	
(d)x1	Allen Wrench 1/4"		(h)x1	Open Wrench 1/4"	



Step 3.


- Turn the assembled table to an upright position. Securely tighten all bolts with Allen wrenches (d) and open wrench (h).
- Attach wooden plugs (i) to each exposed bolt hole, tighten with rubber hammer to knock the wooden plug till its tighten. Note: use a soft cloth between the wooden plug and hammer to prevent damage to wooden plug finish.

(i)x8 Wooden Plugs 

**Step 4.**

- Place the clear plastic pad (j) on the shelf frame (C) as shown below.
- Carefully take the glass out from its carton, then gently lay the shelf glass (G) on the assembled shelf frame (C) as shown below.
- Assembly is complete. Failure to follow these instructions may cause the bolts to misalign during assembly.

(j)x4 Clear Plastic Pad 



ADDITIONAL NOTE ABOUT SAFETY: BOLTS MAY LOOSEN DURING NORMAL EVERYDAY USE. THEY SHOULD BE PERIODICALLY INSPECTED AND RE-TIGHTENED TO PREVENT DAMAGE OR INJURY. ALWAYS CHECK TO BE SURE THAT ALL HARDWARE IS KEPT TIGHTENED.

Thank you for your purchase