

## ASSEMBLY INSTRUCTIONS

Description: FRANK DINING TABLE

## Important safety instructions:

- Please read carefully all instructions before assembly.
- For your safety and ease, assembly by two or more adults is recommended.
- Keep instructions for future use.

## Pre-assembly:

- Do not discard any content until assembly is complete to avoid accidentally discarding small parts or hardware.
- Take out all parts and hardware from box.

## Parts List

Item	Description	QTY
P1	Table Top	2
P2	Leg Frame	4
P3	Stretcher	1
P4	Metal Trim	1

## Hardware List

Item	Description	QTY
H1	Bolts Ø5/16" x 1-3/4"L	16
H2	Bolts Ø5/16" x 3/4"L	16
H3	Lock Washers 5/16"	32
H4	Flat Washers 5/16"x19	32
H5	Allen Wrench	1
H6	"U" Metal Bracket	2

## DISCLAIMER:

**WHEN PROPERLY ASSEMBLED, THIS ITEM IS SAFE FOR INTENDED USE. SELLER IS NOT LIABLE FOR ANY DAMAGES RESULTING FROM ITEM BEING IMPROPERLY ASSEMBLED AFTER PURCHASE.**

## Assembly Procedures:


Step 1: Assemble the Table on a flat, soft surface such as a carpet or cloth to prevent scratching the finish. Attach Metal Trim (P4) to Table Top (P1) as shown below. Please make sure the table top sides are even and aligned before tightening all bolts

(H2)x10 Bolts Ø5/16" x 3/4"L

(H3)x10 Lock Washers 5/16"


(H4)x10 Flat Washers 5/16"x19

(H5)x1 Allen Wrench




Step 2: Attach Leg Frame (P2) to Table Top (P1) as shown below. Tighten all bolts.

(H1)x8 Bolts Ø5/16" x 1-3/4" L   
(H3)x8 Lock Washers 5/16"   
(H4)x8 Flat Washers 5/16" x19   
(H5)x1 Allen Wrench 




Step 3: Attach "U" Metal bracket (H6) to Stretcher (P3) as shown below. Tighten all bolts.

(H2)x2 Bolts Ø5/16" x 3/4" L   
(H3)x2 Lock Washers 5/16"   
(H4)x2 Flat Washers 5/16" x19   
(H5)x1 Allen Wrench   
(H6)x2 "U" Metal Bracket 




Step 4: Attach Stretcher (P3) to Leg Frame (P2) as shown below. Tighten all bolts.

(H2)x2 Bolts Ø5/16" x 3/4" L   
(H3)x2 Lock Washers 5/16"   
(H4)x2 Flat Washers 5/16" x19   
(H5)x1 Allen Wrench 




Step 5: Attach Leg Frame (P2) to Table Top (P1) as shown below. Don't tighten all bolts.

(H1)x8 Bolts Ø5/16" x 1-3/4" L   
(H3)x8 Lock Washers 5/16"   
(H4)x8 Flat Washers 5/16" x19   
(H5)x1 Allen Wrench 




Step 6: Attach Stretcher (P3) to Leg Frame (P2) as shown below. Tighten all bolts.

(H2)x2 Bolts Ø5/16" x 3/4" L   
(H3)x2 Lock Washers 5/16"   
(H4)x2 Flat Washers 5/16"x19   
(H5)x1 Allen Wrench 



Step 7: Turn the assembled table to an upright position.

Assembly is completed.



**ADDITIONAL NOTE ABOUT SAFETY: BOLTS MAY LOOSEN DURING NORMAL EVERYDAY USE. THEY SHOULD BE PERIODICALLY INSPECTED AND RE-TIGHTENED TO PREVENT DAMAGE OR INJURY. ALWAYS CHECK TO ENSURE THAT ALL HARDWARE IS KEPT TIGHTENED.**

Thank you for your purchase