

**Important safety instructions:**

- Please read carefully all instructions before assembly.
- For your safety and ease, assembly by two or more adults is recommended.
- Keep instructions for future use.

**Pre-assembly:**

- Do not discard any content until assembly is complete to avoid accidentally discarding small parts or hardware.
- Take out all parts and hardware from box.

**Parts List**

Item	Description	QTY
P1	Cabinet	1
P2	Side Metal Frame	2
P3	Back/Front Metal Frame	2


**Hardware List**

Item	Description	QTY
H1	Bolts 1/4"x 5/8" L	18
H2	Lock Washers 1/4"	18
H3	Flat Washers 1/4"	18
H4	Allen Wrench	1
H5	Handles 1/2"x12" L	2
H6	Handle Bolts 5/32"x3/4" L	4


**Assembly Procedures:**

Step 1: Assemble the cabinet on a flat, soft surface such as a carpet or cloth to prevent scratching the finish. Attach the Back and Front Metal Frame (P3) to the Side Metal Frame (P2) using Bolts(H1), Lock Washers(H2) and Flat Washers(H3) as shown below. Then securely tighten all Bolts(H1), Lock Washers(H2) and Flat Washers(H3) with Allen Wrench(H4).

(H1)x8	Bolts 1/4"x 5/8" L	●
(H2)x8	Lock Washers 1/4"	○
(H3)x8	Flat Washers 1/4"	○
(H4)x1	Allen Wrench	↙



(H1)x10	Bolts 1/4"x 5/8" L	●
(H2)x10	Lock Washers 1/4"	○
(H3)x10	Flat Washers 1/4"	○
(H4)x1	Allen Wrench	↙




Step 3: Turn the assembled Cabinet to an upright position. Assemble the Handles (H5) to the Cabinet Door using Handle Bolts (H6) and Screwdriver.


(H5)x2 Handles 1/2"x12" L



(H6)x4 Handle Bolts 5/32"x3/4" L



Step 4: Repeat Step 3 on the other door. Assembly is complete.



**ADDITIONAL NOTE ABOUT SAFETY: BOLTS MAY LOOSEN DURING NORMAL EVERYDAY USE. THEY SHOULD BE PERIODICALLY INSPECTED AND RE-TIGHTENED TO PREVENT DAMAGE OR INJURY. ALWAYS CHECK TO ENSURE THAT ALL HARDWARE IS KEPT TIGHTENED.**

Thank you for your purchase

**Important safety instructions:**

- Please read carefully all instructions before assembly.
- For your safety and ease, assembly by two or more adults is recommended.
- Keep instructions for future use.

**Pre-assembly:**

- Do not discard any content until assembly is complete to avoid accidentally discarding small parts or hardware.
- Take out all parts and hardware from box.

**Parts List**

Item	Description	QTY
P1	Table Top	1
P2	Metal Frame Base	4

**Hardware List**

Item	Description	QTY
H1	Bolts 1/4"x 5/8" L	16
H2	Lock Washers 1/4"	16
H3	Flat Washers 1/4"	16
H4	Allen Wrench	1
H5	Adjustable Levelers 1/4"	4

**Assembly Procedures:**

Step 1: Assemble the chair on a flat, soft surface such as a carpet or cloth to prevent scratching the finish.


Assemble the Metal Frame Base (P2) using Bolts (H1), Lock Washers (H2) and Flat Washers (H3) as shown below. Then securely tighten all Bolts(H1), Lock Washers(H2) and Flat Washers(H3) with Allen Wrench(H4).

(H1)x8 Bolts 1/4"x 5/8" L


(H2)x8 Lock Washers 1/4"

(H3)x8 Flat Washers 1/4"

(H4)x1 Allen Wrench




(H1)x8	Bolts 1/4"x 5/8"	•
(H2)x8	Lock Washers 1/4"	○
(H3)x8	Flat Washers 1/4"	○
(H4)x8	Allen Wrench	ℓ




Step 3: Assemble the Adjustable Levelers (H5) as shown below until the table is even

(H5)x4 Adjustable Levelers 1/4" ♀



Step 4: Turn the assembled table to an upright position. Assembly is complete.



**Important safety instructions:**

- Please read carefully all instructions before assembly.
- For your safety and ease, assembly by two or more adults is recommended.
- Keep instructions for future use.

**Pre-assembly:**

- Do not discard any content until assembly is complete to avoid accidentally discarding small parts or hardware.
- Take out all parts and hardware from box.

**Parts List**

Item	Description	QTY
P1	Table Top	1
P2	Metal Frame Base	4

**Assembly Procedures:**


Step 1: Assemble the chair on a flat, soft surface such as a carpet or cloth to prevent scratching the finish.

Assemble the Metal Frame Base (P2) using Bolts(H1), Lock Washers (H2) and Flat Washers (H3) as shown below. Then securely tighten all Bolts(H1), Lock Washers(H2) and Flat Washers(H3) with Allen Wrench(H4).

(H1)x8	Bolts 1/4"x 5/8" L	
(H2)x8	Lock Washers 1/4"	
(H3)x8	Flat Washers 1/4"	
(H4)x1	Allen Wrench	



**Hardware List**

Item	Description	QTY
H1	Bolts 1/4"x 5/8" L	
H2	Lock Washers 1/4"	
H3	Flat Washers 1/4"	
H4	Allen Wrench	
H5	Adjustable Levelers 1/4"	




Step 2 : Assemble the Table Top (P1) on a flat, soft surface such as a carpet or cloth to prevent scratching the finish. Attached the Metal Frame Base (P2) to the Table Top (P1) using Bolts (H1), Lock Washers(H2) and Flat Washers(H3) with Allen Wrench(H4) as shown below.

(H1)x8      Bolts 1/4"x 5/8" L        
(H2)x8      Lock Washers 1/4"        
(H3)x8      Flat Washers 1/4"        
(H4)x8      Allen Wrench      



Step 3: Assemble the Adjustable Levelers (H5) as shown below until the table is even

(H5)x4      Adjustable Levelers 1/4"      



Step 4: Turn the assembled table to an upright position. Assembly is complete.

