


## PARTS LIST

## OPTION 1



## STEP 2

A diagram of a parallel plate capacitor. Two parallel horizontal plates are shown. The top plate is connected to the positive terminal of a battery, indicated by a longer line. The bottom plate is connected to the negative terminal, indicated by a shorter line. A dielectric slab, represented by a rectangle with diagonal hatching, is partially inserted between the plates from the left. A dashed line indicates the boundary of the dielectric. A label '0' is placed near the right edge of the dielectric slab. A label 'H' is placed inside the dielectric slab, with a line pointing to it from the right.









CLARK SHELF WITH ADJUSTABLE BOX

Assembly instructions:

OPTION 1	
<div><p><b>STEP 3</b></p><p><b>INSERT BOX SHELF</b></p></div> <div></div>	<div><p><b>STEP 4</b></p><p><b>OPTION 1</b></p></div> <div></div>

CLARK SHELF WITH ADJUSTABLE BOX


Assembly instructions:

OPTION 2		OPTION 2		OPTION 2	
STEP 1: SAME STEP 1 AS OPTION 1. STEP 2:		STEP 3: INSERT BOX SHELF SAME STEP 3 AS OPTION 1.		STEP 4: INSERT (P1), (P2) SAME STEP 4 AS OPTION 1.	
					
OPTION 3		OPTION 3		OPTION 3	
STEP 1: SAME STEP 1 AS OPTION 1. STEP 2: INSTALL SHELVES AS STEP 4 OF OPTION 1.		STEP 3: INSERT BOX SHELF SAME STEP 3 AS OPTION 1.		STEP 4 : INSERT (P1) SAME STEP 4 OF OPTION 1.	
					


# CLARK SHELF WITH ADJUSTABLE BOX

Assembly instructions:


OPTION 1



OPTION 2



OPTION 3



ASSEMBLY COMPLETED