

MADISON **PARK** ASSEMBLY INSTRUCTIONS

Description: Coffee Table



Important safety instructions:

- Please carefully read all instructions before assembling the table.
- For your safety and ease, assembly by two or more adults is recommended.
- Keep instructions for future use.

Pre-assembly:

- Do not discard any contents until after assembly is complete to avoid accidentally discarding small parts or hardware.
- Remove all parts and hardware from box along with any plastic protective packaging.

Parts List

Item	Description		QTY
A	Top Frame		1
B	Self		1
C	Stretcher		1
D	Legs		4
E	Glass		1


Hardware List

Item	Description		QTY
a	Bolts Ø1/4"x1-1/2"		8
b	Bolts Ø1/4"x3/4"		8
c	lock Washers 1/4"		16
d	Flat Washers 1/4"		16
e	Allen Wrench 1/4"		1

Assembly Procedures:

Step 1. Assemble the table on a flat, soft surface such as a carpet or cloth to prevent scratching the finish. Attach three legs (D) to the top frame (A) by using bolts (a), lock washers (c) and flat washers (d) as shown below. Do not tighten the bolts.

- (a)x6 Bolts Ø1/4"x1-1/2"  (d)x6 Flat Washers 1/4" 
(c)x6 lock Washers 1/4"  (e)x1 Allen Wrench 1/4" 



Step 2. Attach the shelf (B) to assembled each leg (D) by using bolts (b), lock washers (c) and flat washers (d) as shown below. Do not tighten the bolts.


(b)x3 **Bolts** Ø1/4"x5/8"



(d)x3 **Flat Washers** 1/4"



(c)x3 **lock Washers** 1/4"



Step 3. Attach the stretcher (C) to assembled each leg (D) by using bolts (b), lock washers (c) and flat washers (d) as shown below. Do not tighten the bolts.


(b)x3 **Bolts** Ø1/4"x5/8"



(d)x3 **Flat Washers** 1/4"



(c)x3 **lock Washers** 1/4"




Step 4. Loosely attach the last one leg (D) to assembled top frame (A), self (B) and stretcher (C) by using bolts (a,b), lock washers (c) and flat washers (d) as shown below. Do not tighten the bolts.

(b)x2 **Bolts** Ø1/4"x1-1/2"

(d)x4 **Flat Washers** 1/4"


(b)x2 **Bolts** Ø1/4"x5/8"

(c)x4 **lock Washers** 1/4"



Step 5.

- 1) Make sure the table is level and securely tighten all bolts with Allen wrench (e). Turn the assembled table to an upright position.
- 2) Gently lay the glass (E) on the table top.
- 3) Assembly is complete. Failure to follow these instructions may cause the bolts to misalign during assembly.



ADDITIONAL NOTE ABOUT SAFETY: BOLTS MAY LOOSEN DURING NORMAL EVERYDAY USE. THEY SHOULD BE PERIODICALLY INSPECTED AND RE-TIGHTENED TO PREVENT DAMAGE OR INJURY. ALWAYS CHECK TO BE SURE THAT ALL HARDWARE IS KEPT TIGHTENED.

Thank you for your purchase