

Description: Bar Cart

Important safety instructions:


- Please carefully read all instructions before assembling the cart.
- For your safety and ease, assembly by two or more adults is recommended.
- Keep instructions for future use.
- Do not discard any contents until after assembly is complete to avoid accidentally discarding small parts or hardware.
- Remove all parts and hardware from box along with any plastic protective packaging.

Parts List

Item	Description		QTY	Item	Description		QTY
A	Wheels		4	G	Big Handles		2
B	Back Frame		1	H	Metal galleries		4
C	Front Frame		1	I	Door Handles		2
D	Long Shelves		2	J	Glass Rack		1
E	Side Panels		2	K	Short Shelf		1
F	Top Tray		1				

Hardware List



Item	Description		QTY
a	Nuts 5/16"		4
b	Big Bolts 5/16"x1-3/8"		4
c	Medium Long Bolts 1/4"x1"		20
d	Medium Short Bolts 1/4"x5/8"		28
e	Big Lock Washers 5/16"		4
f	Big Flat Washers 5/16"		4
g	Small Lock Washers 1/4"		28
h	Small Flat Washers 1/4"		28
i	Big Allen Wrench 5/16"		1
j	Small Allen Wrench 1/4"		1
k	Open Wrench 5/16"		1
l	Small Bolt 5/32"x7/8"		4
m	Shelf supports		4
n	Screws Ø6x1/2"		4



Assembly Procedures:


Step 1. Assemble the cart on a flat, soft surface such as a carpet or cloth to prevent scratching the finish. Attach the wheels (A) to the front frame (C) and back frame (B) by using the nuts (a), big bolts (b), big block washers (e) big flat washers (f), big Allen wrench (i) and open wrench (k) as shown.

C




B


Step 2. Loosely attach the side panels (E) to the back frame (B) by using medium short bolts (d), small flat washers (H), small lock washers (g). Securely tighten all bolts by small Allen wrench (j), but do not over tighten the bolts.




Step 3. Attach each long shelf (D) to the back frame (B) by using medium short bolts (d), small flat washers (H), small lock washers (g). Securely tighten all bolts by small Allen wrench (j), but do not over tighten the bolts.



Step 4. Open the doors, then attach front frame (C) to the shelves (D) using medium short bolts (d), small flat washers (H), small lock washers (g). Securely tighten all bolts by small Allen wrench (j), but do not over tighten the bolts.





Step 5. Insert the end of shelf support (m) into the holes on the side panels (E), then attach the short shelf (K) to the shelf supports (m) using screws (n). Securely tighten the screws by a screwdriver (not provided).





Step 6.

a) Attach the big handles (G) to the side of top tray (F) using medium long bolt (c). Securely tighten all bolts by small Allen wrench (j), but do not over tighten the bolts.



b) Turn the top tray upside down, then attach the glass rack (J) to the bottom of top tray(F) by using medium short bolt(d), small lock washer(g) and small flat washer (h). Securely tighten all bolts by small Allen wrench (j), but do not over tighten the bolts. .



Step 8:

a) Attach metal gallery (H) to the assembled base using bolt (c). Securely tighten all bolts by small Allen wrench (j), but do not over tighten the bolts. .
b) Attach the handles (I) to the doors on the front frame (C) using small bolt (I). Securely tighten the screws by a screwdriver (not provided)

