

MADISON PARK ASSEMBLY INSTRUCTIONS

Description: Lintel Dining Table

Important safety instructions:


- Please carefully read all instructions before assembling the table.
- For your safety and ease, assembly by two or more adults is recommended.
- Keep instructions for future use.

Pre-assembly:

- Do not discard any contents until after assembly is complete to avoid accidentally discarding small parts or hardware.
- Remove all parts and hardware from box along with any plastic protective packaging.

Parts List

Item	Description	QTY
1.	Stretcher	1
2.	Side Frames	2
3.	Mounting Plates	2
4.	Top Panel	1




Hardware List

Item	Description	QTY
a	Bolts $\phi 1/4" \times 1-1/2"$	10
b	Bolts $\phi 1/4" \times 1"$	14
c	Lock Washers $\phi 1/4"$	24
d	Flat Washers $\phi 1/4" \times 19mm$	20
e	Flat Washers $\phi 1/4" \times 12mm$	4
f	Allen Wrench $1/4"$	1
g	Wooden Plugs	4

Assembly Procedures:

Step 1. Assemble the table on a flat, soft surface such as a carpet or cloth to prevent scratching the finish. Loosely attach the side frames (2) to the stretcher (1) as shown below. Securely tighten the bolts with Allen wrench (f).

(a)x4 Bolts $\phi 1/4" \times 1-1/2"$
(c)x4 Lock Washers $\phi 1/4"$
(e)x4 Flat Washers $\phi 1/4" \times 12mm$
(f)x1 Allen Wrench $1/4"$



Step 2. Attach the mounting plates (3) to the assembled side frames (2) as shown below. Securely tighten the bolts with Allen wrench (f).


(b)x4 Bolts $\phi 1/4" * 1"$



(c)x4 Lock Washers $\phi 1/4"$



(d)x4 Flat Washers $\phi 1/4" * 19mm$



Step 3.

1) Turn over the top panel (4) on a flat, soft surface such as a carpet or cloth to prevent scratching the finish.

2) Then attach the assembled stretcher (1), side frame (2) and mounting plate (3) to the bottom of top panel (4) as shown below.


(b)x10 Bolts $\phi 1/4" * 1"$



(c)x10 Lock Washers $\phi 1/4"$




(e)x10 Flat Washers $\phi 1/4" * 12mm$



Step 4. Using bolts (a), lock washers (c) and flat washers (e) to tighten as shown below.


(a)x6 Bolts $\phi 1/4" \times 1-1/2"$ 
(c)x6 Lock Washers $\phi 1/4"$ 
(e)x6 Flat Washers $\phi 1/4" \times 12mm$ 



Step 5.

- 1) Turn the assembled table to an upright position. Make sure the table is level and securely tighten all bolts with Allen wrench (f).
- 2) Attach wooden plugs (g) to each exposed bolt hole on side frame, tighten with rubber hammer to knock the wooden plug till its tighten. Note: use a soft cloth between the wooden plug and hammer to prevent damage to wooden plug finish.
- 3) Assembly is complete. **Failure to follow these instructions may cause the bolts to misalign during assembly.**

(g)x4 Wooden Plugs 



ADDITIONAL NOTE ABOUT SAFETY: BOLTS MAY LOOSEN DURING NORMAL EVERYDAY USE. THEY SHOULD BE PERIODICALLY INSPECTED AND RE-TIGHTENED TO PREVENT DAMAGE OR INJURY. ALWAYS CHECK TO BE SURE THAT ALL HARDWARE IS KEPT TIGHTENED.

Thank you for your purchase